


## FELCO 5 - Green

Pruning shear - Good performance - Basic model

Made in Switzerland by FELCO



> **Reliable:** sturdy steel handles / blade and anvil blade made of high-quality hardened steel / clean, precise cut / all parts can be replaced

> **Efficient:** easy cutting adjustment

> **Ergonomic:** non-slip coating

## RECOMMENDED FOR

Our recommendation (★ = Recommended, ★★ = Strongly recommended, ★★★ = Best fit)

Viticulture	★★★
Arboriculture	★★★
Horticulture	★★★
Parks and Gardens	★★★
Nursery	★★★
Small hand	★★★
Average-sized hand	★★★
Large hand	★★★
Right-handed	★★★
Left-handed	★★★

## ACCESSORIES



FELCO 902  
Sharpening tool  
Sharpening stone



FELCO 903  
Sharpening tool  
Sharpener



FELCO 910  
Holster  
Leather - With belt loop and clip



FELCO 912  
Holster  
Leather - With belt clip






















FELCO 980  
Maintenance product  
Spray



FELCO 990  
Maintenance product  
Grease

**SPARE PARTS**



FELCO	REF.	Designation	Composition	UCC Barcode
	5/3	Blade	1x 5/3	
	5/91	Kit	2x 5/11	
	5/94	Kit	1x 4/9 + 1x 5/8	
	5/13	Handle without blade	1x 5/13 + 1x 5/5B + 1x 5/35	
	5/15	Handle with anvil-blade	1x 5/15 + 1x 5/35	
	5/35	Coating for blade handle / anvil-blade handle	1x 5/35	
	5/5B	Rivet for blade	1x 5/5B	
	5/8	Bolt	1x 5/8	
	4/9	Nut	1x 4/9	

	5/11	White spring	1x 5/11	 7 83929 40207 9
-----------------------------------------------------------------------------------	------	--------------	---------	--------------------------------------------------------------------------------------------------------

**MAINTENANCE**



**Cleaning**

It is advisable to clean your tool after each use.  
 If your tool is particularly dirty or subject to rusting after exposure to moisture, do not delay cleaning.



**Oiling**

After cleaning, it is advisable to oil the tool so as to protect it from corrosion. The oil will also unjam the tool.



**Sharpening**

It is advisable to sharpen your tool at least once a day, but if you feel that your tool is not cutting as well as usual, sharpen it right away!



**Dismantling**

It is advisable to dismantle your tool on a regular basis, but at the very latest when it appears to be jammed.

## PARTS REPLACEMENT



### **Changing the blade**

When the blade and the anvil-blade no longer cross, or when the blade is badly damaged, it is advisable to change it.

Regulate the working of the blade and anvil-blade by adjusting the tightening of the nut. The blade should rub against the anvil-blade over 2/3 of its length.



### **Changing the thumb catch**

When the thumb catch is damaged and loosens when used, even when the screw is readjusted, change it.